CONTENTS

PART I

Preface vi
Committees and Sponsors vii
The interface between theory and experiment
D.B. Robinson (Edmonton, Alb., Canada) 1

EQUATIONS OF STATE

Cubic equations of state for reservoir engineering and chemical process design
J. Vidal (Rueil-Malmaison, France) 15
SAFT: equation-of-state solution model for associating fluids
W.G. Chapman, K.E. Gubbins, G. Jackson (Ithaca, NY, U.S.A.) and M. Radosz (Annandale, NJ, U.S.A.) 31
On the way from theoretical calculations to practical equations of state for real fluids
I. Nezbeda and K. Aim (Prague, Czechoslovakia) 39
A three-parameter cubic equation of state for reservoir fluids
T.-M. Guo and L.-G. Du (Beijing, China) 47
Simultaneous correlation of hard sphere diameters and second virial coefficients
J. Hollerup (Lyngby, Denmark) 59
Development of a perturbed hard sphere equation of state for non-polar and for polar/associating fluids
K. Mulia and V.F. Yesavage (Golden, CO, U.S.A.) 67
Calculation of multiphase equilibria by a group contribution equation of state
S.-Y. Suen, Y.-P. Chen (Taipei, Taiwan) and D. S.-H. Wong (Hsinchu, Taiwan) 75
Density-dependent local composition mixing rules for cubic equations of state
Y. Adachi (Ottawa, Ont., Canada and Kasugai, Japan), H. Sugie (Nagoya, Japan), K. Nakanishi (Kyoto, Japan) and B.C.-Y. Lu (Ottawa, Ont., Canada) 83
The modified Leung–Griffiths model for vapor–liquid equilibria: application to polar fluid mixtures
J.C. Rainwater and J.J. Lynch (Boulder, CO, U.S.A.) 91
Calculation of critical loci with an equation of state based on the significant structure model
R.L. Smith, Jr., G.M. Acosta (Columbia, SC, U.S.A.), K. Suzuki (Chiba, Japan), K. Arai and S. Saito (Sendai, Japan) 103
Prediction of vapor–liquid equilibria (VLE) from dilute systems data using the SRK equation of state: industrial applications
C. Torres-Marchal, A.L. Cantalino and R.M. De Brito (Bahia, Brazil) 111

Prediction of ternary vapor–liquid equilibria with the PRSV equation of state
R. Sandoval, G. Wilczek-Vera and J.H. Vera (Montreal, Que., Canada) . . 119
Development of a new cubic equation of state for phase equilibrium calculations
J. Schwartzentruber, H. Renon (Paris, France) and S. Watanasiri (Cambridge, MA, U.S.A.) 127

EXCESS FREE ENERGY MODELS

UNIFAC and related group-contribution models for phase equilibria
A. Fredenslund (Lyngby, Denmark) 135
An improved MOSCED equation for the prediction and application of infinite dilution activity coefficients
W.J. Howell, A.M. Karachewski, K.M. Stephenson, C.A. Eckert (Urbana, IL, U.S.A.), J.-H. Park, P.W. Carr (Minneapolis, MN, U.S.A.) and S.C. Rotan (Richmond, VA, U.S.A.) 151
Development of an azeotropic distillation scheme for purification of tetrahydrofuran
T.E. Chang and T.T. Shih (Newtown Square, PA, U.S.A.) 161

EXPERIMENTAL METHODS

New methods for vapor–liquid-equilibria measurements
K.N. Marsh (College Station, TX, U.S.A.) 169
High-temperature enthalpy and critical property measurements using a differential scanning calorimeter
S.E. Knipmeyer, D.G. Archer, R.D. Chirico, B.E. Gammon, I.A. Hossenlopp, A. Nguyen, N.K. Smith, W.V. Steele and M.M. Strube (Bartlesville, OK, U.S.A.) 185
Novel methods for the measurement of the critical properties of thermally unstable fluids
A.S. Teja, M. Gude and D.J. Rosenthal (Atlanta, GA, U.S.A.) 193
Experimental measurement of phase equilibria in dilute solutions
R. Srivastava (Midland, MI, U.S.A.) 201
Measurement of vapor–liquid equilibria by ebulliometry
J.D. Olson (South Charleston, WV, U.S.A.) 209
PVT experiments for precise VLE data for mixtures of similar volatility
P.T. Eubank, M.A. Barrufet, H. Duarte-Garza and L. Yurttas (College Station, TX, U.S.A.) 219
High pressure dew and bubble points from microwave measurements
M.D. Frørup, J.T. Jepsen, A. Fredenslund and P. Rasmussen (Lyngby, Denmark) 229
The effect of near-critical mobile phases on retention times in supercritical chromatographs
F.D. Kelley and E.H. Chimowitz (Rochester, NY, U.S.A.) 237

ENHANCED OIL RECOVERY

Effect of multicomponent, multiphase equilibria in gas injection processes
F.M. Orr, Jr. and K.K. Pande (Stanford, CA, U.S.A.) 247

EOR by rich gas injection—the role of multiple liquid phases in crude oil–solvent miscibility development
Z. Novosad (Calgary, Alb., Canada) 263
Species separability in ternary multiphase systems
M.M. Miller and K.D. Luks (Tulsa, OK, U.S.A.) 275
Phase behavior correlation of CO_2/heavy oil mixtures for enhanced oil recovery
S.L. Kokal and S.G. Sayegh (Calgary, Alb., Canada) 283
The influence of pressure and electrolyte on the phase behaviour of systems with anionic surfactants: the system water + heptane + SDS + 1-butanol + NaCl
C.L. Sassen, J.H. Bredee, Th.W. de Loos and J. de Swaan Arons (Delft, The Netherlands) 291
Subsaturation equilibrium distribution of carbon dioxide between bitumen and water
J.A. Nighswander, A.K. Mehrotra and N. Kalogerakis (Calgary, Alb., Canada) 299
'Gel' formation in carbon dioxide–semifluorinated alkane mixtures and phase equilibria of a carbon dioxide–perfluorinated alkane mixture
A. Iezzi, P. Bendale, R.M. Enick, M. Turberg and J. Brady (Pittsburgh, PA, U.S.A.) 307

CRITICAL AND SUPERCRITICAL PHENOMENA

Fascinating phenomena in the critical region of mixtures
J. de Swaan Arons (Delft, The Netherlands) 319
Design and characterization of the molecular environment in supercritical fluids
K.P. Johnston, G.J. McFann, D.G. Peck and R.M. Lemert (Austin, TX, U.S.A.) 337
Clustering in supercritical mixtures: theory, applications and simulations
P.G. Debenedetti, I.B. Petsche and R.S. Mohamed (Princeton, NJ, U.S.A.) 347
Phase equilibria of natural flavours and supercritical solvents
H.A. Matos, E. Gomes de Azevedo (Lisbon, Portugal), P.C. Simoes, M.T. Carrondo and M. Nunes da Ponte (Monte de Caparico, Portugal) 357
Concentration of triethylene glycol, diethylene glycol and ethylene glycol in supercritical carbon dioxide up to 16 MPa at 313.15 and 333.15 K
G.-I. Kaminishi, S. Takano, C. Yokoyama, S. Takahashi (Sendai, Japan) and K. Takeuchi (Funabashi, Japan) 365
Phase equilibria in binary mixtures of near-critical propane and poly-aromatic hydrocarbons
C.J. Peters, M.P.W.M. Rijkers, J.L. de Roo and J. de Swaan Arons (Delft, The Netherlands) 373
On the relationship between the carbon-number of n-paraffins and their solubility in supercritical solvents
C.J. Peters, J. de Swaan Arons (Delft, The Netherlands), A.H. Harvey and J.M.H. Levelt-Sengers (Gaithersburg, MD, U.S.A.) 389
Hydrogen bonding in entrainer–cosolvent mixtures: a parametric analysis
J.M. Walsh and M.D. Donohue (Baltimore, MD, U.S.A.) 397

Solubility of essential oil components in compressed supercritical carbon dioxide
G. Di Giacomo, V. Brandani, G. Del Re and V. Mucciante (L'Aquila, Italy) 405
Author index 413

PART II

EXPERIMENTAL DATA

Gas solubilities of carbon dioxide and hydrogen sulfide in sulfolane and its mixtures with alkanolamines
F. Murrieta-Guevara, E. Rebolleo-Libreros and A. Trejo (Mexico, Mexico) 1
Vapor–liquid equilibria for the binary systems of nitrogen, carbon dioxide and n-butane at temperatures from 220 to 344 K
T.S. Brown, E.D. Sloan (Golden, CO, U.S.A.), V.G. Niesen and A.J. Kidnay (Boulder, CO, U.S.A.) 7
Vapor–liquid equilibria of binary systems based on pine resin
M.G. Bernado-Gil and M.A. Ribeiro (Lisbon, Portugal) 15
Measurement and prediction of phase equilibria for the CO_2–ethanol–water system
H. Inomata, K. Arai, S. Saito (Sendai, Japan), S. Ohba and K. Takeuchi (Funabashi, Japan) 23
Bubble point measurements for the ternary system: carbon dioxide, cyclohexane and naphthalene
T.A. Al-Sahhaf, R.S. Al-Ameeri and S.E.M. Hamam (Safat, Kuwait) 31
Test of prediction methods for interfacial tensions of CO_2 and ethane in hydrocarbon solvents
K.A.M. Gasem, P.B. Dulcamara, Jr., K.B. Dickson and R.L. Robinson (Stillwater, OK, U.S.A.) 39

EQUILIBRIUM COMPUTATIONS

The negative flash
C.H. Whitson (Trondheim, Norway) and M.L. Michelsen (Lyngby, Denmark) 51
Calculation of multiphase ideal solution chemical equilibrium
M.L. Michelsen (Lyngby, Denmark) 73
Estimation of binary interaction parameters for equations of state subject to liquid phase stability requirements
P. Englezos, N. Kalogerakis and P.R. Bishnoi (Calgary, Alb., Canada) . . 81
Combined phase and reaction equilibria calculations using the UNIWAALS equation of state
R. Gani (Lyngby, Denmark) 89
Multiphase equilibrium flash calculations for systems containing gas hydrates
P.R. Bishnoi, A.K. Gupta, P. Englezos and N. Kalogerakis (Calgary, Alb., Canada) 97
Phase equilibrium calculations and three-dimensional computer graphics representation
T. Nitta, K. Ikeda and T. Katayma (Osaka, Japan) 105

A preliminary evaluation of two and three phase flash initiation procedures
M.A. Trebble (Calgary, Alb., Canada) 113
Structure and operation of a multi-model phase equilibrium package
P. Topalis, D. Essien, S. Macchietto, G. Saville, W.A. Wakeham (London, Gt. Britain), G. Cartwright, A.I. Johns, R.I. McLeod, A.C. Scott, J.T.R. Watson (Glasgow, Gt Britain), M. Arshad and B. Edmonds (Rugby, Gt. Britain) 123

SIMULATION AND MOLECULAR THEORIES

The Gibbs method for molecular-based computer simulations of phase equilibria
A.Z. Panagiotopoulos and M.R. Stapleton (Ithaca, NY, U.S.A.) 133
Monte Carlo simulations of the chemical potential of model benzene fluids
R.E. Randelman, G.S. Grest and M. Radosz (Annandale, NJ, U.S.A.) . . . 143
Generalized Flory theories for predicting properties of fluids containing long chain molecules
C.K. Hall, M.A. Denlinger (Raleigh, NC, U.S.A.) and K.G. Honnell (Princeton, NJ, U.S.A.) 151
Transport properties of continuous mixtures using nonequilibrium molecular dynamics
S. Murad, D.P.S. Sethi and P.V. Ravi (Chicago, IL, U.S.A.) 159
Molecular-dynamics simulations of excess enthalpies in mixtures of supercritical carbon dioxide and neopentane
R.L. Rowley, J.L. Oscarson, P.N. Slater, N.F. Giles, R.M. Izatt and W.K. Tolley (Provo, UT, U.S.A.) 167
Phase equilibria for fluid mixtures from Monte-Carlo simulation
J.J. de Pablo and J.M. Prausnitz (Berkeley, CA, U.S.A.) 177
Non equilibrium molecular dynamics calculation of the transport properties of carbon dioxide
B.Y. Wang and P.T. Cummings (Charlottesville, VA, U.S.A.) 191
Prediction of vapor–liquid equilibria of binary solvent electrolytes
K.L. Gering and L.L. Lee (Norman, OK, U.S.A.) 199

ELECTROLYTE SOLUTIONS

Urea–NH_3–CO_2–H_2O: VLE calculations using an extended UNIQUAC equation
M. Bernardis and G. Carvoli (Novara, Italy) and N. Santini (Porto Marghera, Italy) 207
An excess Gibbs free energy model for polyelectrolyte solutions
M. Nagvekar and R.P. Danner (University Park, PA, U.S.A..) 219
VLE in the system water–ammonia–lithium bromide
A. Zimmerman and J.U. Keller (Siegen, F.R.G.) 229
A new model for metal solvent extraction system
Y.-G. Li, J.-D. Li, J.-F. Lu and T. Teng (Beijing, China) 235
An analytic correlation of vapour pressure of aqueous and non-aqueous solutions of single and mixed electrolytes
L.A. Cisternas and E.J. Lam (Antofagasta, Chile) 243

An evolutionary optimization method for modeling the solubility of ammonia and carbon dioxide in aqueous solutions
V. Bieling, B. Rumpf, F. Strepp and G. Maurer (Kaiserslautern, F.R.G.) . . 251
VLE K-values of dilute HCl and organic acids in nitric acid–water solutions
K. Nagahama (Tokyo, Japan) and T.-X. Jiang (Jin Lin, China) 261
A systematic comparison of nine models formed by various combinations of three Debye–Hückel expressions and three local-composition expressions for representation of nonideality in electrolyte solutions
Y. Liu, U. Gren and M. Wimby (Gothenburg, Sweden) 269
Correlation of sulfuric acid–water partial pressures
R.W. Wilson and F.P. Stein (Bethlehem, PA, U.S.A.) 279

POLYMERS

Developments in the thermodynamics of polymer systems
L.A. Kleintjens (Geleen, The Netherlands) 289
Phase transitions in polymer gels
S.C. Netemeyer and E.D. Glandt (Philadelphia, PA, U.S.A.) 303
An equation of state for polymer / polymer systems
H.C. Klotz, P.M. Mathias and L. Robeson (Allentown, PA, U.S.A.) 311
A group contribution equation of state for polymer solutions
M.S. High and R.P. Danner (University Park, PA, U.S.A.) 323
Blob calculation method for the liquid–liquid equilibria of polymer solutions
J.-D. Kim, Y.-C. Kim and Y.-B. Ban (Seoul, South Korea) 331
Gas separation membrane material selection criteria: differences for weakly and strongly interacting feed components
W.J. Koros and M.W. Hellums (Austin, TX, U.S.A.) 339

LARGE MOLECULES, CHARACTERIZATION

Characterization and property prediction for heavy petroleum and synthetic liquids
R.D. Gray, Jr., J.L. Heidman, R.D. Springer and C. Tsonopoulos (Florham Park, NJ, U.S.A.) 355
Thermodynamic calculation of cloud point temperatures and wax phase compositions of refined hydrocarbon mixtures
K.W. Won (Irvine, CA, U.S.A.) 377
Prediction of solubility in heavy ends by means of PHCT
P. Alessi, A. Cortesi, Fermaglia (Trieste, Italy), M. Fontana (Milan, Italy) and I. Kikic (Trieste, Italy) 397
Phase equilibria for complex mixtures: continuous thermodynamics method based on spline fit
X.-G. Ying, R.-Q. Ye and Y. Hu (Shanghai, China) 407
Phase splitting of complex hydrocarbon mixtures
L. Dukhedin-Lalla, S. Yushun, J.M. Shaw (Toronto, Ont., Canada) and P.M. Rahimi (Ottawa, Ont., Canada) 415
Group contribution methods for coal liquids
N. Behmanesh and D.T. Allen (Los Angeles, CA, U.S.A.) 423

Phase behavior of reservoir fluids: supercritical carbon dioxide and Cold Lake bitumen
J.M. Yu, S.H. Huang and M. Radosz (Calgary, Alb., Canada) 429

BIOCHEMICAL SYSTEMS

Biotechnology: a new frontier for molecular thermodynamics
J.M. Prausnitz (Berkeley, CA, U.S.A.) 439
A statistical mechanical model of aqueous two-phase systems
A. Cabezas, Jr. (Tucson, AZ, U.S.A.), J.D. Evans and D.C. Szlag (Boulder, CO, U.S.A.) 453
Separation of protein mixtures by extraction: thermodynamic properties of aqueous two-phase polymer systems containing salts and proteins
C.A. Haynes, H.W. Blanch and J.M. Prausnitz (Berkeley, CA, U.S.A.) ... 463
Liquid–liquid equilibria for oleic acid–water mixtures at elevated temperatures and pressures
J.A. Briones, T.A. Beaton, J.C. Mullins and M.C. Thies (Clemson, SC, U.S.A.) 475
Extraction of proteins using reversed micelles
C. Jolivalt, M. Minier and H. Renon (Paris, France) 483
Author Index 491